

Pay as little as **\$25\***  
for a **90-day** supply!

on each BRISDELLE® prescription per 30-day or 90-day supply

Print this offer or save the file to your mobile phone and bring to the pharmacy each time you fill your prescription

Powered by:  
**CHANGE HEALTHCARE**  
BIN# 004682  
PCN# CN  
GRP# EC62003049  
ID# 28733498755

This savings offer is valid for both commercially insured and cash-paying patients.  
\*See full program terms and conditions, including max benefit, below.

**Good thru 12/31/2019**

This co-pay savings card is only valid for commercially insured and cash-paying patients. This offer is not insurance. It is not valid for prescriptions covered by or submitted for reimbursement in whole or in part under Medicaid, Medicare, or other state or federal healthcare programs, including any state medical pharmacy assistance program.

**Patient Instructions:** Pay the first \$25 (per 30-Day Supply), and we'll pay the rest up to \$125 on each of up to twelve 30-day prescriptions at your retail pharmacy. Offer is valid on 30-, 60-, 90-day fills totaling twelve uses; a 60-day fill is treated as 2 uses and a 90-day fill is treated as 3 uses. Offer valid for up to a total of twelve prescription refills or until this offer expires on 12/31/2019. You must bring this card to your pharmacy with a valid prescription each time you fill Brisdelle® (paroxetine) capsules. This card may not be redeemed for cash. By using this offer, you are certifying that you meet the eligibility criteria and will comply with the terms and conditions described in the Restrictions section below. Offer limited to one use per month.

**Pharmacist:** When you apply this offer, you are certifying that you have not submitted a claim for reimbursement under any federal, state, or other governmental programs for this prescription. Participation in this program must comply with all applicable laws and regulations as a pharmacy provider. By participating in this program, you are certifying that you will comply with the terms and conditions described in the Restrictions section below.

**Pharmacist Instructions for patients with an eligible Third Party:** Submit the claim to the primary Third Party Payer first, then submit the balance due to **CHANGE HEALTHCARE** for COB [coordination of benefits] with patient responsibility amount and a valid Other Coverage Code, (**e.g. 8**). The patient pay amount submitted will be reduced by up to \$125 after the patient pays the first \$25 (per 30-Day Supply), up to \$250 after the patient pays the first \$50 on a 60-day supply, or up to \$400 after the patient pays the first \$25 on a 90-day supply. Reimbursement will be received from **CHANGE HEALTHCARE**.

**Pharmacist Instructions for a cash-paying patient:** Submit this claim to **CHANGE HEALTHCARE**. A valid Other Coverage Code (**e.g. 1**) is required. The patient pay amount submitted will be reduced by up to \$125 after the patient pays the first \$25 (per 30-Day Supply), up to \$250 after the patient pays the first \$50 on a 60-day supply, or up to \$400 after the patient pays the first \$25 on a 90-day supply. Reimbursement will be received from **CHANGE HEALTHCARE**.

**Other Coverage Code required:** For any questions regarding **CHANGE HEALTHCARE** online processing, please call the Help Desk at **1-800-422-5604**.

**Restrictions:** This offer is valid in the United States. **Offer not valid for prescriptions reimbursed under Medicaid, a Medicare drug benefit plan, Tricare or other federal or state health programs (such as medical assistance programs). If the patient is eligible for drug benefits under any such program, the patient cannot use this offer.** By using this offer, the patient certifies that he or she will comply with any terms of his or her health insurance contract requiring notification to his or her payor of the existence and/or value of this coupon. It is illegal to (or offer to) sell, purchase, or trade this coupon. The amount of the reimbursement cannot exceed the patient's out-of-pocket expenses. **Program expires 12/31/2019. The parties reserve the right to change or end this program without notice at any time.** Not valid if reproduced. Void where prohibited by law. Product dispensed pursuant to program rules, and applicable federal and state laws. Offer limited to 1 per person and is not transferable. Program managed by ConnectiveRx, on behalf of Sebelo Pharmaceuticals Inc.

If you have any questions, please call 1-855-439-2794, 24 hours 7 days a week.  
For more information about Brisdelle, visit [brisdelle.com](http://brisdelle.com) or call 1-888-246-1207.

#### INDICATION

BRISDELLE® (paroxetine) capsules is a prescription medicine used to reduce moderate to severe hot flashes associated with menopause.  
BRISDELLE is not approved to treat depression or any other psychiatric conditions.

#### IMPORTANT SAFETY INFORMATION

##### What is the most important information I should know about BRISDELLE?

Call your healthcare provider right away if you have any of the following symptoms, or go to the nearest emergency room:

##### Suicidal thoughts or actions:

- **BRISDELLE, and related antidepressant medicines, may increase suicidal thoughts or actions within the first few months of treatment.**
- **Depression or other serious mental illnesses are the most important causes of suicidal thoughts or actions.**
- **Watch for these changes and call your healthcare provider right away if you notice:**
  - **New or sudden changes in mood, behavior, actions, thoughts, or feelings, especially if severe.**
  - **Pay particular attention to such changes when BRISDELLE is started.**

Keep all follow-up visits with your healthcare provider and call between visits if you are worried about symptoms.

Call your healthcare provider right away or go to the nearest emergency room if you have any of the following symptoms, especially if they are new, worse, or worry you:

- Attempts to commit suicide; acting on dangerous impulses; acting aggressive or violent; thoughts about suicide or dying; new or worse depression; new or worse anxiety or panic attacks; feeling agitated, restless, angry, or irritable; trouble sleeping; an increase in activity or talking more than what is normal for you or other unusual changes in behavior or mood.

**Serotonin Syndrome.** This condition can be life-threatening and may include: Nervousness, hallucinations, coma, or other changes in mental status; coordination problems or small movements of the muscles that you cannot control; racing heartbeat, high or low blood pressure; sweating or fever; nausea, vomiting, or diarrhea; muscle rigidity; dizziness; flushing; tremors; seizures.

**Reduced effectiveness of tamoxifen:** Tamoxifen (a medicine used to treat breast cancer) may not work as well if it is taken at the same time as BRISDELLE. If you are taking tamoxifen, tell your healthcare provider before starting BRISDELLE.

**Abnormal bleeding:** BRISDELLE may increase your risk of bleeding or bruising, especially if you take the blood thinner warfarin, or non-steroidal anti-inflammatory drugs (NSAIDs), like ibuprofen, naproxen, or aspirin.

##### Visual symptoms.

**Low salt (sodium) levels in the blood:** Elderly people may be at greater risk for this. Symptoms may include: headache; weakness or feeling unsteady; confusion, problems concentrating or thinking or memory problems.

**Bone Fractures:** Women who take BRISDELLE may have a higher risk of bone fractures.

**Manic episodes:** Greatly increased energy; severe trouble sleeping; racing thoughts; reckless behavior; unusually grand ideas; excessive happiness or irritability; talking more or faster than usual.

##### Seizures or convulsions.

**Restlessness:** Women who take BRISDELLE may feel an inner restlessness, nervousness, or be unable to sit still or stand still especially when they start taking BRISDELLE.

##### Who should not take BRISDELLE?

Do not take BRISDELLE if you:

- **Take a Monoamine Oxidase Inhibitor (MAOI).** Ask your healthcare provider or pharmacist if you are not sure if you take an MAOI, including the antibiotic linezolid.
  - Do not take an MAOI within 14 days of stopping BRISDELLE unless directed to do so by your healthcare provider.
  - Do not start BRISDELLE if you stopped taking an MAOI in the last 14 days unless directed to do so by your healthcare provider.
- **People who take BRISDELLE close in time to an MAOI may have serious or life-threatening side effects. Get medical help right away if you have any of these symptoms:**
  - High fever, uncontrolled muscle spasms, stiff muscles, rapid changes in heart rate or blood pressure, confusion, loss of consciousness (pass out).
- **Take thioridazine or pimozide.** Do not take thioridazine or pimozide together with BRISDELLE because this can cause serious heart problems or sudden death.
- **Are allergic to paroxetine or any of the ingredients in BRISDELLE.**
- **Are pregnant. BRISDELLE is not for pregnant women. Paroxetine can harm your unborn baby.**

##### What should I tell my healthcare provider before starting BRISDELLE?

Before starting BRISDELLE, tell your healthcare provider if you:

- Have liver or kidney problems; bipolar disorder or mania; low sodium levels in your blood; glaucoma (high pressure in the eye); have or had seizures, convulsions, or bleeding problems; have any other medical conditions; **are breastfeeding or plan to breastfeed.**

Tell your healthcare provider about all the medicines that you take, including prescription and non-prescription medicines such as migraine headache medication (triptans), other antidepressants and antipsychotics, vitamins, and herbal supplements.

If you take BRISDELLE, you should not take any other medicines that contain paroxetine, including Paxil®, Paxil CR®, and Pexeva®.

##### What should I avoid while taking BRISDELLE?

You should not drive, operate heavy machinery, or do other dangerous activities until you know how BRISDELLE affects you.

##### What are the most common side effects of BRISDELLE?

The most common possible side effects of BRISDELLE include: headache; tiredness; nausea and vomiting.

Tell your healthcare provider if you have any side effect that bothers you or does not go away. These are not all the possible side effects of BRISDELLE.

Please read the Medication Guide within the full Prescribing Information before taking BRISDELLE. **Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.**